

FENDT *CARAVAN*



2019

Saphir • Bianco Selection • Bianco Activ • Tendenza • Opal • Diamant • Brillant

CONTENTS

A white Swift motorhome is parked on a paved surface. The motorhome has a large rear window, a side door, and several smaller windows. It features a silver-colored front grille and a black bumper. A white car is parked next to it, and the background shows a blue sky with scattered clouds.

SAPHIR

IT OFFERS LAYOUTS FOR EVERY LIVING SITUATION

The completely reworked Saphir model range covers everything from the discerning caravan couple to the travel-happy family. In addition to the huge selection of the classically most popular layouts, it also has so-called children's room layouts. Moreover, that is why the chances are good for interested caravanners to get to know the "Fendt caravan world".







495 SFB

SAPHIR DETAILS


- In Saphir, you will find the widest variety of seating arrangements, including versions with central seating groups
- The bunk bed variants, attractive for families, are also available in this model range
- Warm water heating and warm water underfloor heating (Aide) is available for the Saphir in the 700 SFDW and 700 SGDW layouts
- All gas heaters are now equipped with a practical automatic ignition system
- The new, warm Chestnut-Moretti furniture decor fits perfectly with the new Cremona (see Page 6/7) and Gilio (see Page 10/11) fabric variants



650 SKM



515 SG





515 SG



515 SG



495 SFB

SAPHIR SERIES

Living room/bedroom

Furniture in "Chestnut-Moretti" • "Cremona" (Page 677) or "Gillo" (page 10/11) upholstery version • Lighting LED • Ceiling light (LED/12 V) with 2 switching circuits • Single-column lift table in the seating group • Folding sliding door • Indirect lighting (LED) • Slatted frames with fully flexible and permanently elastic articulated bridges and hardness adjustment (Single and king-size beds) • Liftomat (single and king-size beds) • Mattresses: spring core (Single and king-size beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Goose-neck reading spots (12 V) in U-shaped seating group • Seat cushion with high volume weight • Storage compartments ventilated and with indirect ceiling lighting (LED) • Carpet in the doorway with Fendt caravan lettering • Winter backrests

Kitchen/bathroom

Waste bin integrated in entrance door • Workstation lighting (LED) • Oven with grill (gas) • • Bathroom lighting (LED/12 V) • Cutlery inserts with soft-touch surface • Shower cubicle • • Towel rail/ clothes hook and toilet paper holder • Cooker with ignition protection, automatic ignition (3-burner) • • Cooker-rinsing combination with ignition protection, automatic ignition; split cast iron grid and split glass cover (3-burner) • • Comfort pleated fabric roller blind on kitchen window • Kitchens on (super-) slim tower unit with large sliding shutters • • Kitchen pull-out with wire basket • Refrigerator front in stainless steel look • Refrigerator (105 l) with removable freezer compartment and interior lighting • • Refrigerator (140 l) slim tower unit with removable freezer compartment and interior lighting • • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • • Kitchen mixer tap made out of brass • • Central washrooms • with large wall units, generous shelves under the washbasin and illuminated mirror • Mirror cabinet in the bathroom • • Stainless steel sink with glass cover • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • • Kitchen storage compartments with soft-close hinges • • Washroom door handle in bi-colour chrome • • White washbasin with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind •

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10 9/25 e litres) with external filling • • Fresh water (fixed tank 10 9/45 e litres) with external filling • • Fresh water level indicator • Warm water heating Truma-Therm 230 V with mixer tap • •

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

S 3004 Gas heater with automatic ignition (Truma) • • S 5004 Gas heater with automatic ignition (Truma) • iNet Box (Truma) • Smoke detector • Switch at the entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spot light(s) (LED/12 V) • Sockets 230 V • Warm air system with fan (1 x 12 V) • • Sockets 230 V • Warm air system with fan (2 x 12 V) • • Warm water heating and warm water floor heating (Alde) • •

* depending on model • • 700 SFDW and 700 SGDW
Explanation of symbols see Page 87



495 SFB

SAPHIR

LAYOUTS / KEY DATA



445 TFB				
Overall length	cm	679		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1500 Φ		
Mass when ready for the road	kg Φ	1248		



465 SFB				
Overall length	cm	705		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1500 Φ		
Mass when ready for the road	kg Φ	1308		



465 TG				
Overall length	cm	705		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1500 Φ		
Mass when ready for the road	kg Φ	1308		



495 SFB				
Overall length	cm	724		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1600 / 1700 Φ		
Mass when ready for the road	kg Φ	1348		



515 SG				
Overall length	cm	753		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1600 / 1700 Φ		
Mass when ready for the road	kg Φ	1408		



560 SF				
Overall length	cm	774		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	1700 Φ		
Mass when ready for the road	kg Φ	1498		



560 SKM				
Overall length	cm	774		
Total width	cm	250		
Sleeping places		5		
Technically permitted Total mass	kg	1700 Φ		
Mass when ready for the road	kg Φ	1500		



650 SKM				
Overall length	cm	864		
Total width	cm	250		
Sleeping places		6		
Technically permitted Total mass	kg	2000 Φ		
Mass when ready for the road	kg Φ	1768		



700 SFD				
Overall length	cm	905		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2000 Φ		
Mass when ready for the road	kg Φ	1830		



700 SFDW				
Overall length	cm	905		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2200 Φ		
Mass when ready for the road	kg Φ	1903		



700 SGD				
Overall length	cm	905		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2000 Φ		
Mass when ready for the road	kg Φ	1800		



700 SGDW				
Overall length	cm	905		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2200 Φ		
Mass when ready for the road	kg Φ	1853		

Dimensions and weights of all model ranges and models from Page 84
Explanation of symbols Page 87

Scan QR code –
and call up a film about the Saphir



BIANCO SELECTION AND ACTIV

TWO SUCCESSFUL TYPES OF A MODEL RANGE IN

The agile travelling companions for the demanding – Bianco Selection and Bianco Activ.
The variety of layouts of the two Bianco equipment lines offers a wide variety of possible uses.
Both recreational and active people with their various pieces of sports equipment, as well as large families, who liking driving with children, pets and luggage to the sea or into the mountains, will find what they want in this model range.





BIANCO SELECTION DETAILS

- The Bianco Selection offers a variety of compact travel caravans and is even available with children's room layouts
- This model range for frequent travellers offers maximum mobility with the familiar Fendt caravan comfort
- Even in the area of kitchen and bathroom equipment, solutions are perfectly matched to particularly passionate caravanners
- All gas heaters are now equipped with a practical automatic ignition system
- The light-coloured Nabucco Cherry furniture decor is very harmonious with the two new fabric versions, Korfu (see Pages 18/19) and Umbria (see pages 22/23)




465 SFB



515 SKM



550 SKM



BIANCO SELECTION / ACTIV SERIES

Living room/bedroom

Furniture in "Nabucco cherry finish" • "Korfu" (Page 18/19) or "Umbria" (page 22/23) upholstery version • Lighting LED • Ceiling light (LED/12 V) with 2 switching circuits • Single-column lift table in the U-shaped seating group • • Folding sliding door • Indirect permanently elastic articulated bridges and hardness adjustment (single and king-sized beds) • Lifomat (single and king-sized beds) • Mattresses: spring core (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Goose-neck reading spots (12 V) in U-shaped seating group • • Seat upholstery with high volume weight • Ventilated storage compartments with indirect ceiling lighting (LED) • Carpet in the doorway with Fendt caravan lettering • Winter backrests

Kitchen/bathroom

Waste bin integrated into entrance door • • Workplace lighting (LED) • Bathroom lighting (LED/12 V) • Cutlery inserts with soft-touch surface • Towel rail/clothes hook and toilet paper holder • • Cooker with ignition protection, automatic ignition (3-burner) • • Cooker-rising combination with ignition lock, automatic ignition, divided cast iron grate and divided glass cover (3-flame) • • Comfortable pleated fabric roller blind on kitchen window • • Kitchens on (super-) slim tower unit with large sliding shutters • • Kitchen pull-out with wire basket • • Refrigerator front in stainless steel look • Refrigerator (105 l) with removable freezer compartment and interior lighting • • Refrigerator (140 l) slim tower unit with removable freezer compartment and interior lighting • • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • • Light strip in the profile strips of the kitchen storage compartments • Kitchen mixer tap made of brass • • Central washrooms • with large wall units, generous shelves under washbasin and illuminated mirror • • Mirror cabinet in the bathroom • • Stainless steel sink with glass cover • • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • • Kitchen storage compartments with soft-close hinges • • Washroom door handle, bi-colour chrome • • Washbasin in white with shelves, bathroom cupboard and illuminated mirror • • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10.0/25 e litres) with external filling • Fresh water level indicator • Truma-Therm 230 V water heater with mixer tap •

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

S 3004 Gas heater with automatic ignition (Truma) • • S 5004 Gas heater with automatic ignition (Truma) • • iNet Box (Truma) • Switch on entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spotlights (LED/12 V) • Sockets 230 V • Warm air system with fan (1 x 12 V) •

Bianco Activ additional series equipment

- Combi 4 gas heater with CP Plus with circulating air distribution and integrated water boiler (10 l/Truma), iNet ready and iNet Box for controlling the heating via Smartphone app (Truma)
- 4000 W nominal heating performance
- Low power consumption
- With FrostControl as standard for the series
- Optimum warm air distribution through four warm air outlets
- Short heating time of the water and long showering pleasure
- Durable stainless steel water tank
- Boost function for fast warm water supply and room heating
- All functions programmable with timer
- Side seat as chest (can carry 100 kg max.) •
- Transverse loading function (with separate beds) •
- External storage flaps on both sides •
- Increased loading capacity due to reinforced chassis
- Wardrobe with lighting (motion sensor)

* depending on model

For explanation of symbols, see Page 87





BIANCO ACTIV DETAILS

- Ambitious, frequent travellers will find unusual layout solutions in the Bianco Activ, such as the Model 495 SFE, which has a transverse kitchen that is particularly suitable for compact layouts
- It is the benchmark for Fendt travel caravans and, depending on the model, has extras such as outside storage flaps on both sides, a side seat designed as a chest for 100 kg load - and many other useful details (Page 24)
- Also the iNet Box for the control of the heating via Smartphone App (Tiuma) is one of the special details of a Bianco Activ
- The Bianco Activ is available in Nabucco Cherry furniture decor and in the new Korfu (see Page 24/25) and Umbria (see Page 26/27) fabric variants



390 FHE



550 KMG



515 SFD



390 FHE



515 SGE

BIANCO SELECTION

BIANCO ACTIV

LAYOUTS / KEY DATA



390 FH			
Overall length	cm	605	
Total width	cm	232	
Sleeping places		3	
Technically permitted Total mass	kg	1300 Φ	
Mass when ready for the road	kg Φ	1118	

435 SF			
Overall length	cm	654	
Total width	cm	232	
Sleeping places		3	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1228	



465 SFB			
Overall length	cm	705	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1308	

465 TG			
Overall length	cm	705	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1288	



515 SG			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1418	

515 SKM			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		5	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1418	



550 SKM			
Overall length	cm	774	
Total width	cm	232	
Sleeping places		5	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1428	

550 SKM			
Overall length	cm	774	
Total width	cm	232	
Sleeping places		5	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1428	



Scan QR code – and call up a film about the Bianco Selection



390 RHE			
Overall length	cm	605	
Total width	cm	232	
Sleeping places		3	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1143	

390 RHE			
Overall length	cm	605	
Total width	cm	232	
Sleeping places		3	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1143	



465 SGE			
Overall length	cm	705	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1383	

465 SGE			
Overall length	cm	705	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1600 / 1700 Φ	
Mass when ready for the road	kg Φ	1383	



515 SFD			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1443	

515 SFD			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1443	



550 KMG			
Overall length	cm	774	
Total width	cm	232	
Sleeping places		5	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1443	

550 KMG			
Overall length	cm	774	
Total width	cm	232	
Sleeping places		5	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1443	



Scan QR code – and call up a film about the Bianco Selection



445 SF			
Overall length	cm	679	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1293	

445 SF			
Overall length	cm	679	
Total width	cm	232	
Sleeping places		2	
Technically permitted Total mass	kg	1500 Φ	
Mass when ready for the road	kg Φ	1293	



495 SFE			
Overall length	cm	724	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1353	

495 SFE			
Overall length	cm	724	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1353	



515 SGE			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1403	

515 SGE			
Overall length	cm	753	
Total width	cm	232	
Sleeping places		4	
Technically permitted Total mass	kg	1700 Φ	
Mass when ready for the road	kg Φ	1403	



Scan QR code – and call up a film about the Bianco Activ

TENDENZA

BEST FINISHING IN CONTEMPORARY LOOK

The modern design of the interior architecture and the typical functionality of a Fendt caravan are harmoniously matched to each other in the best quality. For caravanners who also prefer the most modern living design when on the road.







650 SFD

TENDENZA DETAILS

- For the first time, the Tendenza 650 SFDW has a warm water heating system and warm water underfloor heating (Aide)
- It is equipped with a state-of-the-art Combi 4 / Combi 6 (650 SFD) gas heater with CP Plus, iNet ready and an iNet box for the control of heating via Smartphone App (Truma) and a TFT touch screen in glass look (CI-BUS on-board management)
- The Tendenza offers kitchen arrangements with an oven (515 SF, 650 SFD and 650 SFDW)
- The Chesterfield Oak furniture decor is available in the two modern fabric variants, Bergamo (see pages 38/39) and Catania (see pages 34/35)



FENDT-CARAVAN | 37

515 SG



495 SFR



TENDENZA SERIES

FENDT-CARAVAN | 41

Living room/bedroom

Furniture in "Chesterfield Oak Decor" • "Bergamo" (Pages 38/39) or "Catania" (Pages 34/35) upholstery version • Wardrobe lighting (12 V) with motion sensor • Lighting LED • Ceiling lamp (LED/12 V) with 2 switching circuits, can be dimmed • Decorative package (2 cushions/ 1 table runner) • Single-column lift table in the U-shaped seating group • Folding sliding door • Fly screen door in the entrance area • Indirect lighting (LED) • Slatted frames with fully flexible and permanently elastic articulated bridges as well as hardness adjustment (single and king-sized beds) • Reading spots (12 V) • Light strip in the profile strips of the storage compartments • Liftomat (single and king-sized beds) • Mattresses: comfort foam (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Seat upholstery with high volume weight • Ventilated storage compartments with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests

Kitchen/bathroom

Waste bin integrated into entrance door • Workstation lighting (LED) • Oven integrated with grill (gas) • Bathroom lighting (LED/12V) • Curley inserts with soft-touch surface • Towel rail/clothes hook and toilet paper holder • Cooker with ignition protection, automatic ignition (3-burner) • Cooker-rinsing combination with ignition lock, automatic ignition, split cast iron grate and split glass cover (3-burner) • Comfort pleated fabric roller blind on kitchen window • Kitchens with (super-) slim tower unit with large sliding shutters • Kitchen pull-out with wire basket • Back-lit kitchen back panel in glass look • Refrigerator front in stainless steel look • Refrigerator (140 l) slim tower unit with removable freezer compartment and interior lighting • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • Kitchen mixer tap made out of brass • Central washrooms • with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom • Stainless steel sink with glass cover • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • Washbasin door handle in bi-colour chrome • Washbasin in mineral material with shelves, bathroom cupboard and illuminated mirror • Washbasin in stainless steel • with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10 9/25 e litres) with external filling • Fresh water (fixed tank 10 9/45 e litres) with external filling • Fresh water level indicator

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

Combi 4 / Combi 6 (650 SFD) gas heater with CP Plus and iNet ready with circulating air distribution and integrated water boiler (10 l/Truma) • iNet box for controlling the heating via Smartphone app (Truma) • Smoke detector • Switch on the entrance door for ceiling light • 350 W switching power supply • Fuse box (230 V) with residual current device (personal protection switch) • Spotlight(s) (LED/12 V) • Sockets 230 V • TFT touch screen (central) in glass look (CI-BUS on-board management) • Hot water heating and hot water underfloor heating (Alde) • • • • •

* depending on model ** for 515 SF, 650 SFD, 650 SFDW *** for 650 SFDW **** for 650 SFD, 650 SFDW For explanation of symbols, see Page 87



515 SF



515 SF



515 SF

TENDENZA LAYOUTS / KEY DATA



465 SFB				
Overall length	cm	705		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1500 g)		
Mass when ready for the road	kg	1333		



495 SFR				
Overall length	cm	724		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1600 / 1700 (H g)		
Mass when ready for the road	kg	1353		



515 SF				
Overall length	cm	753		
Total width	cm	232		
Sleeping places		4		
Technically permitted total mass	kg	1600 / 1700 (H g)		
Mass when ready for the road	kg	1423		



515 SG				
Overall length	cm	753		
Total width	cm	232		
Sleeping places		4		
Technically permitted Total mass	kg	1600 / 1700 (H g)		
Mass when ready for the road	kg	1443		



650 SFD				
Overall length	cm	864		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2000 g)		
Mass when ready for the road	kg	1745		



650 SFDW				
Overall length	cm	864		
Total width	cm	250		
Sleeping places		4		
Technically permitted Total mass	kg	2200 g)		
Mass when ready for the road	kg	1793		

Dimensions and weights of all model ranges and models from Page 84
Explanation of symbols Page 87

Scan QR code – and call up a film
about the Tendenza



OPAL

STYLISH AND INNOVATIVE – THE MODERN LUXURY CLASS

Progressive interior architecture and artistic furniture design, manufactured with traditional craftsmanship, offer an all-around successful ambience for a demanding holiday. The Opal is the first choice for all those who want to combine the upscale living design of the luxury class in a modern interpretation.







650 SRG



465 SFB

OPAL DETAILS

- The successful combination of material and design makes the Opal the representative of the modern interpretation of the Fendt caravan luxury class
- New in this model range is the Combi 4 gas heater with CP Plus, iNet ready and iNet Box (Truma) (465 and 515), from the 550, it is equipped with the Combi 6 gas heater with CP Plus, iNet ready and iNet Box (Truma)
- A wide range of floor plans offers a wide variety of room solutions for kitchen, seating group, bathroom and bed arrangements
- Two L-shaped kitchen versions (560 SRF and 650 SRG) are among the special features. The refrigerator front in magnolia look underlines the modern appearance
- The bi-colour Chimera-Oak furniture decor can be combined with the new Locamo (see Pages 50/51) and Olbia (see Pages 46/47) fabric versions



650 SRG



OPAL SERIES

Living room/bedroom

Furniture in "bi-colour Chimer-Oak decor" • "Locamo" (Pages 50/51) or "Olbia" upholstery version (Pages 46/47) • Lighting (12 V) in the wardrobe with motion sensor lighting • Ceiling light (LED/12 V) with 2 switching circuits • Deco package (2 cushions/1 table runner) • Single-column lifting table in the U-shaped seating group • Folding sliding door • • Fly protection door in entrance area • Wooden sliding door • • Indirect lighting (LED) • Headrests in seating group, height-adjustable • • Slatted frames with fully flexible and permanently elastic articulated bridges and hardness adjustment (single and king-sized beds) • Light strip in the profile strips of the compartments • Liftomat (single and king-sized beds) • Mattresses: comfort foam (single and king-sized beds) • MIDI roof hood (Domestic) with crank, forced ventilation, integrated blackout pleating and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Goose-neck reading spots (12 V) in U-shaped seating group • Seat upholstery with high volume weight • Storage compartments ventilated and with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests

Kitchen/bathroom

Waste bin integrated into the entrance door • Workstation lighting (LED) • Bathroom lighting (LED/12V) • Cutlery inserts with soft-touch surface • Towel rails/clothes hooks and toilet paper holders • Cooker-rinsing combination with ignition safety device, automatic ignition, split cast iron grate and split glass cover (3-burner) • Comfort pleated fabric roller blind on kitchen window • Kitchens with large sliding panels • Kitchen pull-out with wire basket • • Refrigerator front in magnolia look • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • Kitchen mixer tap made out of brass • Central washrooms* with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom • • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • Washroom door handle in bi-colour chrome • Washbasin of mineral material with shelves, bathroom cabinet and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10 9/25 e) litres) with external filling • • Fresh water (fixed tank 10 9/45 e) litres) with external filling • • Fresh water level indicator

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning


Combi 4 gas heater with CP Plus, iNet ready and iNet Box (Itruma) (465 and 515) / Combi 6 (from 550) with CP Plus and iNet ready with circulating air distribution and integrated water boiler (10 l/Itruma) • iNet Box for heating control via Smartphone App • Smoke detector • Switch on the entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spot light(s) (LED/12 V) • Sockets 230 V

* depending on model • • with 360 SRF and 650 SFG
For an explanation of symbols, see Page 87





OPAL LAYOUTS / KEY DATA



Scan QR code – and call up a film about the Opal

DIAMANT

CLASSIC, EXCLUSIVE, PROVEN AND COMPLETELY REWORKED

The Diamant is a household name for every fan of the Fendt caravan luxury class. It has been in the product range for four decades now and is consistently and consequently being perfected in all areas. Such classics are otherwise only known from a few sports car manufacturers. For all those who find timeless icons as desirable as we do.





DIAMANT DETAILS

- The always popular Diamant is the yardstick in the Fendt caravan luxury class. Material mix and design are designed for absolute high quality
- New for this season are the Skylight panoramic roof hood with lighting (LED) above the U-shaped seating group, spring core seat upholstery and the back-lit corner shelves
- The Combi 6 gas heater with CP Plus and iNet ready including an iNet box for controlling the heating via Smartphone App (Tuma) and a TFT touch screen in glass look (CI-BUS on-board management) underline the sophisticated equipment of the Diamant
- The new Tasmanian Oak furniture decor is offered in a choice of three fabric variants: the new Sierra (see pages 58/59) and Tropea (see page 62/63) fabrics, as well as the special Sevilla leather upholstery (see Page 64)



650 SG



550 SG



560 SG



650 SG



DIAMANT SERIES

Living room/bedroom

Furniture in "Tasmanian Oak Decor" • "Sierra" (Pages 58/59) or "Tropea" (Pages 62/63) upholstery version, as well as "Sevilla" leather upholstery special equipment Pages 64) • Lighting (12V) in the wardrobe with motion sensor • LED lighting • Deco package (2 cushions/1 table runner) • Single-column lift table in the U-shaped seating group • Fly screen door in the entrance area • Wooden sliding door • Indirect lighting (LED) • Headrests in seating group, height-adjustable • Slatted frames with fully flexible and permanently elastic articulated bridges, as well as hardness adjustment (single beds) • Reading spots (12 V) • Light strip in the profile strips of the storage compartments • Liftomat (single beds) • Mattresses: air conditioning comfort foam (7 zones) (single beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind integrated in Skylight panoramic roof hood • Skylight panoramic roof hood with lighting (LED) • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Seat upholstery with spring core (comfort quality) • Soft roller blinds with pleated fabric (blackout blind from below) • Ventilated storage compartments with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests • Living room wall unit with fireplace covering **

Kitchen/bathroom

Waste bin integrated into entrance door • Workstation lighting (LED) • Oven with grill (gas) • Bathroom lighting (LED/12 V) • Towel rail/clothes hook and toilet paper holder • Cutlery inserts with soft-touch surface • Cooker with ignition protection, automatic ignition (3-burner) • Cooker-rinsing combination with ignition protection, automatic ignition, split cast iron grid and split glass cover (3-burner) • Comfort pleated fabric roller blind on kitchen window • Kitchens on (super-) slim tower with large sliding panels • Kitchen pull-out with wire basket • Kitchen rear wall cladding backlit in glass look • Refrigerator front in stainless steel look • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • Central washrooms with large wall units, generous shelves under washbasin and illuminated mirror • Stainless steel sink with glass cover • Flush toilet with dode level indicator and waste-holding tank (can be rolled) • Washroom door handle in bi-colour chrome • Washbasin in mineral material with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10 9/25 e) litres with external filling • Fresh water (fixed tank 10 9/45 e) litres with external filling • Fresh water level indicator

Multimedia

SKY TV holder with articulated arm • TV cable routing (230 V socket)

Technology/heating/air conditioning

Electrical floor temperature control (in tempered area) • Combi 6 gas heater with CP Plus and iNet ready with circulating air distribution and integrated water boiler (Tuma) • iNet Box for controlling the heating via Smartphone App (Tuma) • Smoke detector • Switch at the entrance door for ceiling and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spotlight(s) (LED/12 V) • 230 V sockets (CI-BUS on-board management)

* depending on model ** with 650 SG
For an explanation of symbols, see Page 87





DIAMANT LAYOUTS / KEY DATA

Dimensions and weights of all model ranges and models from Page 84
Explanation of symbols Page 87

550 SG	
Overall length	cm 774
Total width	cm 232
Sleeping places	4
Technically permitted Total mass	kg 1800 ϑ
Mass when ready for the road	kg 1533

560 SG	
Overall length	cm 774
Total width	cm 250
Sleeping places	4
Technically permitted Total mass	kg 1900 / 2000 ϑ ϑ
Mass when ready for the road	kg 1603

650 SG	
Overall length	cm 864
Total width	cm 250
Sleeping places	4
Technically permitted Total mass	kg 2200 ϑ
Mass when ready for the road	kg 1863




Scan QR code – and call up a film
about the Diamant

BRILLANT

THE HIGHLIGHT IN THE LUXURY AREA OF FENDT CARAVANS

The Brilliant uses solutions that can only be found in the luxury segment. It offers in all areas details at the highest level and is suitable for all caravanners who are also looking for maximum comfort during their holiday time.







700 TFD

BRILLANT DETAILS

- In keeping with its high-quality interior design, the Brillant with its most comprehensive standard equipment underlines its place in the highest segment of the Fendt caravan programme
- Standard features are, inter-alia, a Skylight panoramic roof hood with lighting (LED) above the U-shaped seating group, spring core upholstery, a central TFT touch screen in glass look (Ci-BUS on-board management) in the entrance area, a light switching system, a roof air conditioning system, a Combi 6E gas heater with CP-PLUS and iNet Box for Smartphone control with automatic climate control, a bar compartment in a bright look, a multimedia cabinet, a new kitchen with an illuminated kitchen rear wall, a refrigerator (177 l, can be opened on both sides) with freezer compartment and interior lighting (700 TFD), or refrigerator (300 l) side-by-side tower unit (700 SGA), a radio remote control for the entrance door, an electric closing aid...
- A stylish selection of fabrics for the Rovero-Castello furniture decor is available in three versions: Granada (see Pages 68/69), Viareggio (see Page 74) and Sevilla (special leather upholstery, see Page 74)



FENDT-CARAVAN | 71

700 TFD



700 TFD

BRILLANT SERIES

Living room/bedroom

Furniture in "Rovero-Castello-decor" • "Granada" (Pages 68/69) or "Viareggio" (Page 74) upholstery versions and "Sevilla" leather upholstery (optional extra, Page 74) • Lighting (12 V) in wardrobe with motion sensor • LED lighting • Roof storage compartment floor with lighting • ORBIS ceiling light diffuser (LED/12 V), double switchable and can be dimmed (bedroom) • Deco package (2 cushions/1 table runner) • Single-column lift table in the U-shaped seating group • Fly screen door in the entrance area • Wooden sliding door • Indirect lighting (LED) • Headrests in seating group, height adjustable • Slatted frames with fully flexible and permanently elastic articulated bridges as well as hardness adjustment (single and king-sized beds) • Liftomat (single and king-sized beds) • Mattresses: climate comfort foam (7 zones) (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleated fabric and fly screen integrated in Skylight panoramic roof hood • Skylight panoramic roof hood with lighting (LED) • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Goose-neck reading spots (12 V) in U-shaped seating group • Seat upholstery with spring core (comfort quality) • Soft roller blinds with pleated fabric (blackout roller blind from below) • Spots in the roof storage compartment floors • Ventilated storage compartments with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests • Living room wall unit with fireplace covering

Kitchen/bathroom

Waste bin integrated into entrance door • Workstation lighting (LED) • Bathroom lighting (LED/12 V) • Cutlery inserts with soft-touch surface • Shower cubicle • Towel rails/clothes hooks and toilet paper holders • Cooker-rising combination with ignition safety device, automatic ignition, split iron grate and split glass cover (3-burner) • Comfort pleated fabric roller blind on kitchen window • Folding kitchen coveining which can be lowered • Kitchen pull-out with wire basket • Back-lit rear wall panelling in glass look • Illuminated kitchen drawers • Stainless steel-look refrigerator front • Refrigerator (177 L can be opened on both sides) with freezer compartment and interior lighting • Fridge (300 l) side-by-side tower unit with interior lighting and separate freezer compartments • Kitchen mixer tap made out of brass • Central washrooms • with large wall units, spacious shelves under washbasin and illuminated mirror • Mirror cabinet in the opened bathroom • Flush toilet with diode level indicator and waste-holding tank (can

be rolled) • Carpet in the washroom • Washroom door handle in bi-colour chrome • Washbasin in mineral material with shelves, bathroom cabinet and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10⁹/45⁹ litres) with external filling

Multimedia

Sound package, consisting of radio/CD player with DAB+ antenna and FM-enabled (Bluetooth reception) with 4 loudspeakers • SKY TV holder with articulated arm • TV cable routing (230 V socket)

Technology/heating/air conditioning

Autark package with battery (55 Ah) • Aventa comfort (Truma) roof air conditioner • Electric floor temperature control (in tempered area) • Combi GE gas heater with CP Plus with circulating air distribution and integrated water boiler (Truma) • iNet Box for controlling heating and air conditioning via Smartphone App (Truma) • Smoke detector • Switch at the entrance door for ceiling light • Switching power supply 350 W - Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spotlight(s) (LED/12 V) • 230 V sockets • TFT touch screen (central) in glass look (CH-BUS on-board management)

* depending on model ** with 700 TFD *** with 700 SGA
For explanation of symbols, see Page 87





BRILLANT LAYOUTS / KEY DATA



700 SGA	
Overall length	cm 934
Total width	cm 250
Sleeping places	4
Technically permitted Total mass	kg 2400 / 2500 N
Mass when ready for the road	kg e 2153

700 TFD	
Overall length	cm 934
Total width	cm 250
Sleeping places	4
Technically permitted Total mass	kg 2400 / 2500 N
Mass when ready for the road	kg e 2173

Dimensions and weights of all model ranges and models from Page 84
Explanation of symbols Page 87

Scan QR code – and call up a film
about the Brillant



ALL MODEL RANGES

Chassis

- White overrun device cover	●	●	●	●	●
- Anthracite alloy rims			●		
- Black polished alloy rims	●			●	●
- Brake AAA, self-adjusting (Al-Ko)	●	●	●	●	●
- White tow bar cover	●	●	●	●	●
- Euro axle system (Al-Ko)	●	●	●	●	●
- Low profile tyres					
- Tyre repair kit					
- Automatic reversing system	●	●	●	●	●
- Safety coupling AKS 3004 (Al-Ko)	●	●	●	●	●
- Stabilform corner steadies galvanised	●	●	●	●	●
- Stabilform corner steadies galvanised with "Big Foot" (Al-Ko)	●	●	●	●	●
- Shock absorbers	●	●	●	●	●
- Support wheel with load display	●	●	●	●	●
- System lightweight chassis, fully galvanised (Al-Ko)	●	●	●	●	●
- Extended crank support	●	●	●	●	●
- Approval for tempo 100	●	●	●	●	●

Outside bodywork

- 3rd integrated brake light	●	●	●	●	●
- Exterior storage flap	●	●	●	●	●
- Hinged window, double-glazed, tinted with one-handed operation and combined fly screen/darkening roller blind	●	●	●	●	●
- Floors, coated with glass-fibre reinforced plastic	●	●	●	●	●
- Front part partly with long fibre injection-moulded technology	●	●	●	●	●
- Front and back with long fibre injection-moulded technology					
- Roof in glass-fibre reinforced plastic					
- Anthracite roof rails					
- Entrance door with integrated access, waste bin and shelf, tinted window in the upper entrance door area and pleated shade fabric	●	●	●	●	●
- Entrance door with radio remote control, electric closing aid, integrated and insulated access, waste bin and shelf, tinted window in the upper entrance door area and pleated shade fabric	●	●	●	●	●
- Bottle crate cover with gas pressure shock absorber and three-point locking system					
- Fly protection door in the entrance area					
- Awning strip with lighting on the door side					
- Rear fog lights (2 pieces)					
- "Skylight" panoramic roof hood with interior lighting (LED)	●	●	●	●	●
- Wheel housings, fully insulated	●	●	●	●	●
- Manoeuvring handles	●	●	●	●	●
- Spare wheel holder in bottle crate including spare wheel with steel rim	●	●	●	●	●
- Reversing lights (2 pieces)					
- Sandwich construction	●	●	●	●	●
- Awning light (LED)	●	●	●	●	●
- Water tank filler cap with retaining strap	●	●	●	●	●
- Central locking system	●	●	●	●	●
- Forced venting according to EN-Norm 1645-1	●	●	●	●	●

- standard to the series
- * depending on model

EXTERIOR DETAILS

- (1) Awning light at the entrance door (all model ranges)
- (2) Anthracite alloy rims (Tendenza, Opal), black polished alloy rims (Diamant, Brilliant)
- (3) Hinged window, double-glazed and tinted with combined fly screen/darkening roller blind (all model ranges)
- (4) High service flap (except Saphir 560 SKM)
- (5) New rear lights with a darker look and new triangular reflectors as well as integrated manoeuvring handles and flush rear window in automotive rear contour



2 Tendenza, Opal



2 Diamant, Brilliant



3



1



4



5

KITCHENS OVERVIEW

- (1) Kitchen with (super-) slim tower refrigerator (depending on model range and model)
- (2) Rear kitchen
- (3) Kitchen free-standing
- (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal; each depending on model)
- (4) L-shaped kitchen
- (Bianco Activ 495 SFE, Tendenza 495 SFR, Opal 560 SRF, Opal 650 SRG)



BATHROOM OVERVIEW

- (1) Central washroom
- (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal, Diamant, Brillant; each depending on model)
- (2) Rear washroom with shower
- (Saphir, Bianco Activ; each depending on model)
- (3) Free-standing washroom
- (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal, Brillant; each depending on model)

FENDT-CARAVAN | 83

Layouts with children's bed or bunk bed (Photographs 1 + 2)

- (1) Children's or bunk bed lengthwise or crosswise (Saphir, Bianco Selection, Bianco Active; each depending on model)
- (2) Children's or bunk bed lengthwise or crosswise (Saphir, Bianco Selection, Bianco Active; each depending on model)
- (3) King-sized bed (Saphir, Bianco Selection, Bianco Active, Tendenza, Opal, Brilliant; each depending on model)
- (4) Single beds (Saphir, Bianco Selection, Bianco Active, Tendenza, opal, Diamant, B... each depending on model)



Layouts with king-sized bed (Photograph 3)



Layouts with single beds (Photograph 4)



SAPHIR

	445 TFB	465 SFB	465 TG	495 SFB	515 SG	560 SF
Overall length cm	679	705	705	724	753	774
Structural length cm	567	594	594	612	642	662
Useful length cm	475	520	500	500	566	568
Overall width cm	232	232	232	232	232	260
Max. height cm	263	263	263	263	263	263
Headroom cm	195	195	195	195	195	195
Sleeping places	4	4	4	4	4	4
Nose bed surface cm	140 x 200	140 x 200	2 x 85 x 200	140 x 200	140x190/145x200	142/147 x 230
Rear bed surface cm	133 x 210	142 x 210	127/116 x 210	156/133 x 210	142/135 x 210	160 x 200
Middle bed surface cm	-	-	-	-	-	-
Bunk bed surface cm	-	-	-	-	-	-
Technically permitted total mass kg	1500 g)	1500 g)	1500 g)	1600 / 1700 h) g)	1600 / 1700 h) g)	1700 g)
Own weight kg b)	1200	1260	1260	1300	1360	1450
Basic equipment kg a)	48	48	48	48	48	48
Mass when ready for the road kg e)	1248	1308	1308	1348	1408	1498
Loading kg c	252	192	192	252 / 352 h)	192 / 292 h)	202
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres f)	205/65 R 15	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/ tandem axle	1	1	1	1	1	1
Awning size cm	932	958	958	977 m)	1006 k)	1026 l)

SAPHIR

	560 SKM	650 SKM	700 SFD	700 SFDW	700 SGD	700 SGDW
Overall length cm	774	864	905	905	905	905
Structural length cm	662	752	783	783	783	783
Useful length cm	569	659	700	700	700	700
Overall width cm	250	250	250	250	250	250
Max. height cm	263	263	262	262	263	262
Headroom cm	195	195	195	195	195	195
Sleeping places	5	6	4	4	4	4
Nose bed surface cm	140 x 200	150 x 200	165/147 x 230	165/147 x 230	165/147 x 230	165/147 x 230
Rear bed surface cm	80 x 190	142 x 106	-	-	2 x 90 x 200	2 x 90 x 200
Middle bed surface cm	112/118 x 200	112 x 200	150 x 200	150 x 200	-	-
Bunk bed surface cm	80 x 190	80 x 190	-	-	-	-
Technically permitted total mass kg	1700 g)	2000 g)	2000 g)	2200 g)	2000 g)	2200 g)
Own weight kg b)	1460	1720	1780	1860	1760	1810
Basic equipment kg a)	40	48	40	43	40	43
Mass when ready for the road kg e)	1500	1768	1830	1903	1800	1853
Loading kg c	200	232	170	297	200	347
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31
Tyres f)	195/70 R 15 C	185 / 65 R 14	185 / 65 R 14	185 / 65 R 15	185 / 65 R 14	185 / 65 R 15
Single/ tandem axle	1	2	2	2	2	2
Awning size cm	1026 l)	1117	1158	1158	1158	1158

BIANCO SELECTION

	390 FH Selection	435 SF Selection	465 SFB Selection	465 TG Selection	515 SG Selection	515 SKM Selection
Overall length cm	605	654	705	705	753	753
Structural length cm	483	542	594	594	642	642
Useful length cm	400	450	500	507	556	556
Overall width cm	232	232	232	232	232	232
Max. height cm	263	263	263	263	263	263
Headroom cm	195	195	195	195	195	195
Sleeping places	3	3	4	4	4	5
Nose bed surface cm	140 x 200	140 x 200	2 x 85 x 200	2 x 85 x 200	1x85x190/145x200	145 x 210
Rear bed surface cm	106/97 x 186	135/90 x 190	127/116 x 210	127/116 x 210	142/135 x 210	80 x 210
Middle bed surface cm	-	-	-	-	-	97 x 195
Bunk bed surface cm	-	-	-	-	-	75 x 216
Technically permitted total mass kg	1300 g)	1500 g)	1500 g)	1500 g)	1600 / 1700 h) g)	1600 / 1700 h) g)
Own weight kg b)	1070	1180	1260	1240	1370	1370
Basic equipment kg a)	48	48	48	48	48	48
Mass when ready for the road kg e)	1118	1228	1308	1288	1418	1418
Loading kg c	182	272	192	212	182 / 282 h)	182 / 282 h)
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres f)	205/65 R 15	205/65 R 15	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C
Single/ tandem axle	1	1	1	1	1	1
Awning size cm	857	907	958	958	1006 k)	1006 k)

BIANCO AC-TV

	390 FHE Activ	445 SF Activ	465 SGE Activ	495 SFE Activ	515 SFD Activ	515 SGE Activ	550 KMG Activ
Overall length cm	605	679	705	724	753	753	774
Structural length cm	483	567	594	612	642	642	662
Useful length cm	400	475	507	520	556	549	576
Overall width cm	232	232	232	232	232	232	232
Max. height cm	263	263	263	263	263	263	263
Headroom cm	195	195	195	195	195	195	195
Sleeping places	3	2	2	4	2	4	5
Nose bed surface cm	140 x 200	140 x 210	2 x 85 x 200	142/121 x 210	-	142/121 x 210	1465/190/1465x200
Rear bed surface cm	106/97 x 186	-	-	140 x 200	-	1465x200/1465x205	80 x 210
Middle bed surface cm	-	-	-	-	140 x 200	-	97 x 179
Bunk bed surface cm	-	-	-	-	-	-	75 x 216
Technically permitted total mass kg	1500 g)	1500 g)	1600 / 1700 h) g)	1700 g)	1700 g)	1700 g)	1700 g)
Own weight kg b)	1080	1240	1330	1300	1390	1350	1390
Basic equipment kg a)	53	53	53	53	53	53	53
Mass when ready for the road kg e)	1143	1283	1383	1353	1443	1403	1443
Loading kg c	357	207	217 / 317 h)	347	257	297	257
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres f)	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/ tandem axle	1	1	1	1	1	1	1
Awning size cm	857	832	958	977 m)	1006	1006	1026

TENDENZA

	465 SFB	495 SFR	515 SF	515 SG	650 SFD	650 SFDW
Overall length cm	705	724	753	753	864	864
Structural length cm	594	612	642	642	752	752
Useful length cm	500	520	549	556	659	659
Overall width cm	222	232	232	232	250	250
Max. height cm	263	263	263	263	262	262
Headroom cm	195	195	195	195	195	195
Sleeping places	4	4	4	4	4	4
Nose bed surface cm	140 x 200	142/121 x 210	160/139 x 210	140x190/140x200	165 x 230	165 x 230
Rear bed surface cm	142 x 210	140 x 200	140 x 200	142/135 x 210	-	-
Middle bed surface cm	-	-	-	-	180 x 150	180 x 150
Bunk bed surface cm	-	-	-	-	-	-
Technically permitted total mass kg	1500 g)	1600 / 1700 h) g)	1600 / 1700 h) g)	1600 / 1700 h) g)	2000 g)	2200 g)
Own weight kg b)	1280	1300	1370	1390	1700	1750
Basic equipment kg a)	53	53	53	53	45	43
Mass when ready for the road kg e)	1333	1353	1423	1443	1745	1793
Loading kg c)	167	247 / 347 h)	177 / 277 h)	157 / 257 h)	255	407
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31	47 / 47 / 31
Tyres f)	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	185/65 R 14	185/65 R 15
Single/randem axle	1	1	1	1	2	2
Awning size cm	958	977	1006 h)	1006	1117	1117

DIAMANT

	550 SG	560 SG	650 SG
Overall length cm	774	774	864
Structural length cm	662	662	752
Useful length cm	576	576	666
Overall width cm	222	250	250
Max. height cm	263	263	262
Headroom cm	195	195	195
Sleeping places	4	4	4
Nose bed surface cm	140x200/140x205	140x200/140x205	2 x 90 x 205
Rear bed surface cm	147/142 x 210	147/142 x 230	190/152 x 230
Middle bed surface cm	-	-	-
Bunk bed surface cm	-	-	-
Technically permitted total mass kg	1800 g)	1900 / 2000 h) g)	2200 g)
Own weight kg b)	1480	1550	1810
Basic equipment kg a)	53	53	53
Mass when ready for the road kg e)	1533	1603	1863
Loading kg c)	267	297 / 397 h)	337
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31
Tyres f)	205/70 R 15 C	215/70 R 15	195/65 R 15
Single/randem axle	1	1	2
Awning size cm	1026	1033	1117

BRILLIANT

	700 SGA	700 TFD
Overall length cm	934	934
Structural length cm	809	809
Useful length cm	700	700
Overall width cm	250	250
Max. height cm	276	276
Headroom cm	195	195
Sleeping places	4	4
Nose bed surface cm	2 x 90 x 205	190 x 150
Rear bed surface cm	190/157 x 230	187/136 x 230
Middle bed surface cm	-	-
Bunk bed surface cm	-	-
Technically permitted total mass kg	2400 / 2500 h)	2400 / 2500 h)
Own weight kg b)	2100	2120
Basic equipment kg a)	53	53
Mass when ready for the road kg e)	2153	2173
Loading kg c)	247 / 347 h)	227 / 327 h)
Floor/roof/wall thicknesses mm	47 / 47 / 31	47 / 47 / 31
Tyres f)	205 / 60 R 15	205 / 60 R 15
Single/randem axle	2	2
Awning size cm	1153	1153

OPAL

	465 SFB	515 SG	550 SG	560 SG	560 SRF	650 SRG
Overall length cm	705	753	774	774	774	864
Structural length cm	594	642	662	662	662	752
Useful length cm	500	556	576	576	569	666
Overall width cm	222	232	232	250	250	250
Max. height cm	263	263	263	263	263	262
Headroom cm	195	195	195	195	195	195
Sleeping places	4	4	4	4	4	4
Nose bed surface cm	140 x 200	140x190/140x200	140x205/140x200	140x205/140x200	150 x 200	140x205/140x210
Rear bed surface cm	142 x 210	142/135 x 210	151/133 x 210	151/133 x 230	213/162 x 230	214/152 x 230
Middle bed surface cm	-	-	-	-	-	-
Bunk bed surface cm	-	-	-	-	-	-
Technically permitted total mass kg	1500 g)	1600 / 1700 h) g)	1700 g)	1700 / 1800 h) g)	1700 / 1800 h) g)	2000 g)
Own weight kg b)	1290	1380	1420	1480	1510	1750
Basic equipment kg a)	53	53	53	53	53	53
Mass when ready for the road kg e)	1343	1433	1473	1533	1563	1803
Loading kg c)	157	167 / 267 h)	227	167 / 267 h)	137 / 237 h)	197
Floor/roof/wall thicknesses mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31
Tyres f)	205/65 R 15	195/70 R 15 C	195/70 R 15 C	205/70 R 15 C	205/70 R 15 C	185/65 R 14
Single/randem axle	1	1	1	1	1	2
Awning size cm	958	1006 h)	1026	1026 h)	1026 h)	1117

Signs and symbols:

- 100 percent filled aluminium gas cylinder (11 kg), fresh water tank with ten litre filling in running order, 100 percent filled toilet flushing tank, 100 percent filled water heater
- The mass in running order was determined in conformity with Ordinance (EU) 1230/2012 under consideration of the filling in running order of the fresh water tank, of the 100 percent filled toilet flushing tank, of the 100 percent water heater and an aluminium gas cylinder (11 kg) filled a 100 percent
- The mass in running order was determined in conformity with Ordinance (EU) 1230/2012 under consideration of the filling in running order of the fresh water tank, of the 100 percent filled toilet flushing tank, of the 100 percent water heater and an aluminium gas cylinder (11 kg) filled a 100 percent
- Loading capacity of the fresh water tank in keeping with Endorsement V Part A, Fig. 2.6 (Fth) of Ordinance (EU) 1230/2012 under consideration of the movement limitation (drain nozzle at the fresh water tank) 10 l filling in running order
- Loading capacity of the fresh water tank maximum 25 litres or 45 litres under consideration of the drain nozzle in the fresh water tank
- By installing a new chassis, additional weight variants are possible - your trading partner will be pleased to inform you
- Permitted weight
- Maximum weight as permitted by manufacturer
- 1900 / 2000 kg; Awning size 1011 cm
- 1900 / 2000 kg; Awning size 1033 cm
- 1900 / 2000 kg; Awning size 984 cm

Important notes:

The catalogue and the price list reflect the state at the time of printing. Despite the examination of the content, printing errors cannot be excluded. In the course of the model year, we reserve the right to carry out equipment changes and product improvements. Typographical and photo-technical colour differences cannot be excluded completely.

The models depicted in the catalogue and in the price list contain special equipment and/or decorations in parts, which do not belong to the standard scope of supply.

In case of weights, deviations of up to +/- 5 percent are possible due to the use of natural materials. When fitting accessories, the mass in roadworthy condition is increased. Additions to the vehicle may have an effect on the support load. All dimensions are non-binding and may be subject to slight changes.

Data of masses and weights are rendered in conformity with Ordinance (EU) 1230 / 2012, provided no deviating data are rendered in the catalogue including technical data and price list.

Caution: Axle and drawbar loads as well as the observation of the technically permissible overall mass have to be observed. The observation of the permissible masses and load has to be ensured by a distribution of the load in the vehicle.

Equipment may have an influence on the payload and/or load capacity by increasing / reducing the empty weight. It has to be observed that the load capacity may be lower depending on the equipment. The payload corresponds to the difference between the technically permissible overall mass and the mass in the roadworthy condition. This value shall have to take into consideration the mass for special accessories and personal equipment.

The technically permissible overall weight in loaded condition must not be exceeded by any means. Please ask your specialist Fendt Caravan dealer, if and when necessary.

We reserve the right to change prices, constructions and equipment.

+++ **12 years guarantee for tightness of body connections:** This guarantee is valid only in conjunction with the annual chargeable inspection at an authorised Fendt Caravan dealer +++ Certification in conformity with ISO 9001:2008 +++ Environmental management certification in conformity with ISO 14001:2004 +++ Metallic paint +++ 47 mm floor thickness for ideal insulation values +++ Rain and sunbaked rails at the windows +++ Drain cocks for uncomplicated emptying of water conduits +++ Solid screwed connections +++ Two parts side-wall sheet metal +++ Stable furniture made of plywood glued several times +++ Extra robust hinges, put-up hinges and seals +++ Two-pole ground fault circuit breaker with 30 mA





Fendt-Caravan GmbH • Postfach 1135 • D-86689 Mertingen
Tel. +49 (0) 90 78 / 96 88 - 0 • Fax +49 (0) 90 78 / 96 88 - 406

2019

www.fendt-caravan.com (facebook, instagram, youtube)